




# 下布水器系列

型号 Type	名称 Description	Page
H53,H85	布水管系列 filter-nozzle-arms	1
H1201-A,H1201-B,H1208	长柄双流量水帽 Filter Nozzles	2
H1202,H1202 -1, H1203,H1206-A,	常用水帽系列 Filter Nozzles	3
H1204-A, H1204-B	双头水帽系列 Filter Nozzles	4
H1201-C,H1205, H1206-B,H1207	螺纹式水帽系列 Filter Nozzles	5
	水帽使用领域说明	6
	布水器选型表 Distributor Selection	7
H2801-A,H2801-B,H2803	阿图祖集散 Distributor for AUTOTROL control valve	8
H2805,H2807	富来克集散 Distributor for FLECK control valve	9
H2809,H2810	香菇头系列 Distributor for 6-12" tanks	10
H182,H182-1	汉堡头系列 Top distributor	11
H2811~H2815	叠片式下布水器 Bottom distributor	12
H2802,H2804,H2806,H2808	下布水器 Bottom distributor	13
HU6260-HU6700A/B	六爪顶装下布水器 Top Mount distributor 6 Laterals	14、15
H5671,H5672	螺纹口侧装上布水器 Side Mount Diffuser For Top	16、17
HD6260-HU6850A/AN/B/BN	六爪侧装下布水器 Side Mount distributor 6 Laterals	18~21
HU5672-1~HU5676-1	八爪顶装下布水器 Top Mount distributor 8 Laterals	22
HU5672-2~HU5676-2	双层 16 爪顶装下布水器 Top Mount distributor 16 Laterals	23
H172,H173,H176	法兰口侧装上布水器 6" Flange Side Mount Diffuser for Top	24、25
HD5672-1~HD5676-1	八爪侧装下布水器 Side Mount distributor 8 Laterals	26
HD5672-2~HD5676-2	双层 16 爪侧装下布水器 Side Mount distributor 16 Laterals	27
HD5680	法兰口上下布水器 Side Mount 6" Flange Top & Bottom Distributor	28
H9901,H9902,H9902-1	黑二通系列 Tank heads	29
H9903A/B,H9904,H9905	变径系列 Adaptors	30
H9914,H9913,H9910-H9912	闷盖、法兰系列 Closure & Flange	31
H9906-H9909	盐阀系列 Brine Valves	32
	配件 Accessories	33
HPCF-5DC1~HPCF-5DC4	全塑三/五芯精密过滤器 Cartridge Filters(3 or 5 rounds)	34、35
HPCF-9DC1~HPCF-9DC4	全塑八/九芯精密过滤器 Cartridge Filters(8 or 9 rounds)	36、37
HXP-BF-1-1, HXP-BF-1-2	袋式过滤器 Bag Filters	38、39

# 下布水器系列



## Filter-Nozzle-Arms

Type:H53-1,H53-2,H53-3



型号 (Type)	A(mm)	B(mm)	L1 (mm)	Slots(mm)	材 质 Material	L2(mm)
H53-1	G1 1/4"	21	22	0.2	PP/HPP	207,269,301,332,+32...
H53-2	NPT1"/G1"	21	17			111,175,207,239,+32...
H53-3	NPT3/4"	18.5	17			268,332,364,394,+32...

Type:H85




型号 (Type)	A(mm)	B(mm)	Slots(mm)	材 质 Material	L2(mm)
H85	PT2"/NPT2"/G2"	50	0.2	PP/HPP	73,126,178,231,+53...

# 长柄双流量水帽系列

## Filter Nozzles



Type:H1201-A

Type:H1201-B





材质 (Material): PP  
缝隙 (Slots): 0.2mm

材质 (Material): PP  
缝隙 (Slots): 0.2mm



型号 (Type)	内径 A(mm)	外径 B(mm)	L1 (mm)	L2(mm)
H1201-A	22	M31	62	174
H1201-B	16	M24	62	174

Type:H1208



材质 (Material): PP  
缝隙 (Slots): 0.2mm


# 常用水帽系列

## Filter Nozzles

Type:H1202




材质 (Material): PP  
缝隙 (Slots): 0.20mm



Type: H1202-1



材质 (Material): PP  
缝隙 (Slots): 0.20mm





型号 (Type)	内径 A(mm)	外径 B(mm)	L1 (mm)	L2(mm)
H1202	18/20	M24/M26	50	120
H1202-1	18/20	M24/M26	50	175

Type: H1203





材质 (Material): ABS  
缝隙 (Slots): 0.30mm



Type: H1206-A



材质 (Material): PP 缝隙 (Slots): 0.2/0.5mm



# 双头水帽系列

## Filter Nozzles

Type: H1204-A








材质 (Material): PP  
缝隙 (Slots): 0.20mm

Type: H1204-B





材质 (Material): ABS  
缝隙 (Slots): 0.30mm



# 螺 纹 式 水 帽 系 列



## Filter Nozzles

Type:H1201-C





材质 (Material): PP  
缝隙 (Slots): 0.2mm

Type: H1205





材质 (Material): PP  
缝隙 (Slots): 0.2/0.5mm

Type: H1206-B



材质 (Material): PP  
缝隙 (Slots): 0.2/0.5mm

Type:H1207



材质 (Material): ABS 缝隙 (Slots): 0.20mm

# 水帽使用领域说明

注：

H1201-A,H1201-B, H1201-C

用于砂滤器、双层滤器、多介质滤器、活性炭滤器，以均部的方式安装在多孔板上。

H1208

用于软水器、阳床、阴床、混床，以均部的方式安装在多孔板上。

H1204-A

用于双室布水、集水系统，以均部的方式安装在多孔板上。

H1202

用于砂滤器、双层滤器、多介质滤器、活性炭滤器、复床、混床，以均部的方式安装在多孔板上。

H1202-1

用于多介质过滤器、离子交换器。

H1203

用于砂滤器、双层滤器、多介质滤器、活性炭滤器，以均部的方式安装在多孔板上

H1204-B

用于双室离子交换器和双室过滤器，以均布的方式安装在多孔板上。

H1205-0.2

用于离子交换酸碱分布和中排分布器，以均布的方式安装在多孔板或者多孔管上。

H1205-0.5,H1206-A-0.5, H1206-B-0.5

用于砂滤器、中排分布器，以均布的方式安装在多孔板。

H1206 -A-0.2, H1206 -B-0.2

用于多介质过滤器、离子交换器。

H1207

用于离子交换酸、碱分布和中排分布器及排气帽。



# 布水器选型表

## Distributor selection

罐体尺寸 (Tank size)	上开口 (top )	下开口 (Bottom )	上布水 (Top distributor)	下布水 (Bottom distributor)
6-12" (150-300mm)	2.5"		H2801	H2803
6-12" (150-300mm)	2.5"		H2805	H2807
8-12" (200-300mm)	2.5"		H2809	H2810
12-16" (300-400mm)	4"		H182	HU6260A
18-21" (450-550mm)	4"		H182	HU6370A
24" (600mm)	4"		H182	HU6450A or HU6450B
30" (750mm)	4"		H182	HU6600A or HU6600B
36" (900mm)	4"		H182	HU6700A or HU6700B
12-16" (300-400mm)	4"	4"	H5671	HD6260A
18-21" (450-550mm)	4"	4"	H5671	HD6370A
24" (600mm)	4"	4"	H5671	HD6450A or HD6450B
30" (750mm)	4"	4"	H5671	HD6600A or HD6600B
36" (900mm)	4"	4"	H5671	HD6600A or HD6700B
42" (1100mm)	4"	4"	H5671	HD6850A or HD6850B
36" (900mm)	6" FLG			HU5672-1
42" (1100mm)	6" FLG			HU5673-1
48" (1200mm)	6" FLG			HU5674-1
60" (1500mm)	6" FLG			HU5675-1
63" (1600mm)	6" FLG			HU5676-1
≥63" (1600mm)	6" FLG			HU5676-2
36" (900mm)	6" FLG	6" FLG	H172 or H176	HD5672-1
42" (1100mm)	6" FLG	6" FLG	H172 or H176	HD5673-1
48" (1200mm)	6" FLG	6" FLG	H173 or HD5680	HD5674-1
60" (1500mm)	6" FLG	6" FLG	H173 or HD5680	HD5675-1
63" (1600mm)	6" FLG	6" FLG	H173 or HD5680	HD5676-1
≥63" (1600mm)	6" FLG	6" FLG	HD5680	HD5676-2





# 阿图祖集散系列

## Distributor for Autotrol Control Valve

Type:2801-A





材质 (Material): ABS  
缝隙 (Slots): 0.20mm



Type:2801-B





材质 (Material): ABS  
缝隙 (Slots): 0.20mm



Type:2803



材质 (Material): ABS  
缝隙 (Slots): 0.20mm





# 富来克集散系列

## Distributor for Fleck Control Valve

Type: H2805





材质 (Material): ABS/PVC  
缝隙 (Slots): 0.25mm



Type: H2807



材质 (Material): ABS/PVC  
缝隙 (Slots): 0.25mm





# 香菇头系列

## Distributor for 6-12" Vessels

Type:H2809





材质 (Material): ABS  
 缝隙 (Slots): 0.25mm



Type: H2810



材质 (Material): ABS  
 缝隙 (Slots): 0.25mm





# 汉堡头系列

## Top Distributor for 12" -36" Vessels

Type:H182





材质 (Material): PP  
 缝隙 (Slots): 0.25mm



Type:H182-1



材质 (Material): ABS  
 缝隙 (Slots): 0.25mm




# 叠片式下布水器系列

## Bottom Distributors

Type:H2811




材质 (Material): ABS  
 缝隙 (Slots): 0.25mm  
 插管口径 ( $\phi A$ ): 43mm



Type:H2812





材质 (Material): ABS  
 缝隙 (Slots): 0.25mm  
 插管口径 ( $\phi A$ ): 48/50mm



Type:H2813~H2815




缝隙 (Slots): 0.25mm  
 螺纹口 ( $\phi A$ ):  
 G3"/NPT3"/89mm/90mm  
 高度(Length)L  
 H2813: 125mm  
 H2814: 220mm  
 H2815: 270mm



# 下布水器系列

## Bottom Distributors

Type: H2802、H2804




材质 (Material): PP

缝隙 (Slots): 0.2mm


插管口 ( $\phi A$ ):

H2802: 43mm

H2804: 50mm/48mm



Type: H2806、H2808




材质 (Material): ABS

缝隙 (Slots): 0.25mm

插管口 ( $\phi A$ ):




H2806: 43mm

H2808: 50mm/48mm



# 六爪顶装布水器-A 系列

## Top Mount Distributor 6 Laterals –A series



型号(Type)	尺寸 (Dimension) mm				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)
	A	L1	L2	L3			
HU6260A	42/48/50	82	145	71	12"-16" (ø300-400mm)	0.25=3.96cm <sup>2</sup>	A
HU6370A		142	365	83	18"-21" (ø450-550mm)	0.25=6.6cm <sup>2</sup>	B
HU6450A		182	440	95	24" (ø600mm)	0.25=8.58cm <sup>2</sup>	C
HU6600A		266	610	105	30" (ø750mm)	0.25=10.56cm <sup>2</sup>	D
HU6700A		308	690	114	36" (ø900mm)	0.25=12.54cm <sup>2</sup>	E





# 六爪顶装下布水器-B 系列

## Top Mount 6 Distributor Laterals –B series

B1 series



B2 series



型号(Type)		尺寸 (Dimension)				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)
		A	L1	L2	L3			
HU6260B1	HU6260B2	48/50	111	296	110	16"-18" (ø400-450mm)	0.2=4.32cm <sup>2</sup>	A
HU6370B1	HU6370B2		174	416	125	18"-21" (ø450-550mm)	0.2=7.2cm <sup>2</sup>	B
HU6450B1	HU6450B2		205	455	135	24" (ø600mm)	0.2=10.08cm <sup>2</sup>	C
HU6600B1	HU6600B2		268	575	165	30" (ø750mm)	0.2=12.96cm <sup>2</sup>	D
HU6700B1	HU6700B2		331	710	175	36" (ø900mm)	0.2=15.84cm <sup>2</sup>	E
HU6850B1	HU6850B2		394	835	185	42"(ø1000mm)	0.2=18.72cm <sup>2</sup>	F




Note:

B1 系列支管采用卡口式, B2 支管采用螺纹式。

The laterals of B1 series adopt quick lock ,and B2 series adopt thread.

側裝上布水器




Side Mount Diffuser For Top



型号(Type)	尺寸 (Dimension) mm	适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	罐体开口 (Bottom opening)
	A			
H5671	60/63	14"-36" (ø350-900mm)	0.2mm	4"-8UN

# 侧装上布水器




## Side Mount Diffuser For Top



型号(Type)	尺寸 (Dimension) mm	适用罐体 (Tank Size) Inches (mm)	罐体开口 (Bottom opening)
	A		
H5672	60/63mm	14"-36" (ø350-900mm)	4"-8UN

六爪侧装下布水器-A 系列




Side Mount Distributor 6 Laterals –A series



型号(Type)	尺寸 (Dimension) mm				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)	罐体开口 (Bottom opening)
	A	L1	L2	L3				
HD6260A	60/63	82	145	150	12"-16" (ø300-400mm)	0.25=3.96cm <sup>2</sup>	A	4"-8UN
HD6370A		142	365	164	18"-21" (ø450-550mm)	0.25=6.6cm <sup>2</sup>	B	
HD6450A		182	440	170	24" (ø600mm)	0.25=8.58cm <sup>2</sup>	C	
HD6600A		266	610	190	30" (ø750mm)	0.25=10.56cm <sup>2</sup>	D	
HD6700A		308	690	195	36" (ø900mm)	0.25=12.54cm <sup>2</sup>	E	

# 六爪侧装下布水器-AN 系列

## Side Mount Distributor 6 Laterals –AN series



型号(Type)	尺寸 (Dimension) mm				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)	罐体开口 (Bottom opening)
	A	L1	L2	L3				
HD6260A-N	60/63	82	145	150	12"-16" (ø300-400mm)	0.25=3.96cm <sup>2</sup>	A	4"-8UN
HD6370A-N		142	365	164	18"-21" (ø450-550mm)	0.25=6.6cm <sup>2</sup>	B	
HD6450A-N		182	440	170	24" (ø600mm)	0.25=8.58cm <sup>2</sup>	C	
HD6600A-N		266	610	190	30" (ø750mm)	0.25=10.56cm <sup>2</sup>	D	
HD6700A-N		308	690	195	36" (ø900mm)	0.25=12.54cm <sup>2</sup>	E	

Note:

字母 ‘N’ 代表弯头采用由令连接。

‘N’ refers to adopt union connection



# 六爪侧装下布水器-B 系列

## Side Mount Distributor 6 Laterals –B series

**B1 series**



**B2 series**



型号(Type)		尺寸 (Dimension)				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流 量 (Flow)	罐体开口 (Bottom opening)
		A	L1	L2	L3				
HD6260B1	HD6260B2	60/63	111	296	148	16"-18" (ø400-450mm)	0.2=4.32cm²	A	4"-8UN
HD6370B1	HD6370B2		174	416	168	18"-22" (ø450-550mm)	0.2=7.2cm²	B	
HD6450B1	HD6450B2		205	455	178	24" (ø600mm)	0.2=10.08cm²	C	
HD6600B1	HD6600B2		268	575	195	30" (ø750mm)	0.2=12.96cm²	D	
HD6700B1	HD6700B2		331	710	215	36" (ø900mm)	0.2=15.84cm²	E	
HD6850B1	HD6850B2		384	835	225	42" (ø1100mm)	0.2=18.72cm²	F	


Note:

B1 系列支管采用卡口式, B2 支管采用螺纹式。

The laterals of B1 series adopt quick lock ,and B2 series adopt thread.

# 六爪侧装下布水器-B-N 系列

## Side Mount Distributor 6 Laterals –BN series



型号(Type)		尺寸 (Dimension)				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流 量 (Flow)	罐体开口 (Bottom opening)
		A	L1	L2	L3				
HD6260B1-N	HD6260B2-N	60/ 63	111	296	148	16"-18" (ø400-450mm)	0.2=4.32cm <sup>2</sup>	A	4"-8UN
HD6370B1-N	HD6370B2-N		174	416	168	18"-22" (ø450-550mm)	0.2=7.2cm <sup>2</sup>	B	
HD6450B1-N	HD6450B2-N		205	455	178	24" (ø600mm)	0.2=10.08cm <sup>2</sup>	C	
HD6600B1-N	HD6600B2-N		268	575	195	30" (ø750mm)	0.2=12.96cm <sup>2</sup>	D	
HD6700B1-N	HD6700B2-N		331	710	215	36" (ø900mm)	0.2=15.84cm <sup>2</sup>	E	
HD6850B1-N	HD6850B2-N		384	835	225	42"(ø1100mm)	0.2=18.72cm <sup>2</sup>	F	

Note:




字母 ‘N’ 代表弯头采用由令连接。

‘N’ refers to adopt union connection



# 八爪顶装布水器




## Top Mount Distributor 8 Laterals



型号(Type)	尺寸 (Dimension) mm				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)
	A	L1	L2	L3			
HU5672-1	90/89	300	690	185	36" (ø900mm)	0.2=12.96cm <sup>2</sup>	A
HU5673-1		363	810	205	42" (ø1100mm)	0.2=15.84cm <sup>2</sup>	B
HU5674-1		426	930	225	48" (ø1200mm)	0.2=18.72cm <sup>2</sup>	C
HU5675-1		489	1050	245	60" (ø1500mm)	0.2=21.6cm <sup>2</sup>	D
HU5676-1		552	1170	255	63" (ø1600mm)	0.2=24.48cm <sup>2</sup>	E

# 双层 16 爪顶装布水器



## Top Mount Distributor 16 Laterals



型号(Type)	尺寸 (Dimension) mm				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)
	A	L1	L2	L3			
HU5673-2	89/90	363	810	315	42" (ø1100mm)	0.2=31.68cm <sup>2</sup>	A
HU5674-2		426	930	327	48" (ø1200mm)	0.2=37.44cm <sup>2</sup>	B
HU5675-2		489	1050	337	60" (ø1500mm)	0.2=43.2cm <sup>2</sup>	C
HU5676-2		552	1170	357	63" (ø1600mm)	0.2=48.96cm <sup>2</sup>	D

6” 法兰口侧装上部布水器



6” Flange Side Mount Diffuser For Top



型号 ( Type)	尺寸(Dimension) mm			流量 (Flow)	适用 罐 体 (Tank Size)	罐体开口 (Top Opening)
	A	L1	L2			
H172	4"UN/3"BSPP/3"NPT/90/89	365	165	A	36"-48"(ø900-1200mm)	6" FLG
H173		415	215	B	≥48"( ø 1200mm)	

# 6” 法兰口侧装上布水器




## 6” Flange Side Mount Diffuser For Top



型号( Type)	尺寸(Dimension) mm			Slots	适用 罐 体 (Tank Size)	罐体开口 (Top Opening)
	A	L1	L2			
H176	4"UN/3"BSPP/3" NPT/90/89	325	180	0.2	36"-48"(ø900mm-1200mm)	6” FLG

# 八爪侧装布水器




## Side Mount Distributor 8 Laterals



型号(Type)	尺寸 (Dimension) mm				适用罐体 (Tank Size) Inches (mm)	缝隙面积 (Slots)	流量 (Flow)	罐体开口 (Bottom opening)
	A	L1	L2	L3				
HD5672-1	4"UN/3	300	690	330	36" (ø900mm)	0.2=12.96cm <sup>2</sup>	A	6" FLG
HD5673-1	"BSPP/	363	810	350	42" (ø1100mm)	0.2=15.84cm <sup>2</sup>	B	
HD5674-1	3"NPT/	426	930	370	48" (ø1200mm)	0.2=18.72cm <sup>2</sup>	C	
HD5675-1	90/89	489	1050	390	60" (ø1500mm)	0.2=21.6cm <sup>2</sup>	D	
HD5676-1		552	1170	405	63" (ø1600mm)	0.2=24.48cm <sup>2</sup>	E	

# 6" 法兰口侧装布水器

## Side Mount Top & Bottom Distributor




型号 (Type)	尺寸(Dimension) mm				适用 罐 体 (Tank Size)	罐体开口 (Top Opening)
	A	L1	L2	L3		
H5680	4"UN/3"BSPP/3"NPT/ 90/89	180	550	295	36"-48"(ø900mm-1200mm)	6" FLG


# 黑二通系列

## Tank Head Series


H9901



H9902



H9902-1



型号 (Type)	名称 (Name)	材质 (Material)	罐体开口 (Tank opening)	接口尺寸 (In/Out)	中心管径 (Center Riser)
H9901	2.5"黑二通 (2.5"tank head)	UPVC	2.5"-8NPSM	G1"/NPT1"	3/4"
H9902	4"黑二通 (4"tank head)	UPVC	4"-8UN	G2"/NPT2"	1.5"
H9902-1	4.5" 黑二通 及 上下布水器 (4.5"tank head & distributor)	ABS	4.5"Buttress	NPT1"	1"
H9902-2	2.5"黑二通 (2.5"tank head)	ABS	2.5"-8NPSM	NPT3/4"	1/2"



变径系列  
Adaptor Series

Type: H9903-A



Type:H9903-B



Type: H9904



Type: H9905



型号 (Type)	名称 (Name)	材质 (Material)	外螺纹 (Outer Thread)	内螺纹 (Inner Thread)
H9903-A	4"-2.5" 变径 (4-2.5"Adaptor)	PVC	4"-8UN	2.5"-8NPSM
H9903-B	4"-2.5"变径 (4-2.5"Adaptor)	PVC/PPO	4"-8UN	2.5"-8NPSM
H9904	6"-4" 变径 (6-4"Adaptor)	PVC/PPO	6"-8UN	4"-8UN
H9905	6"-4" 法兰变径 (6-4" FLG Adaptor)	PVC/PPO		4"-8UN

# 闷盖、法兰系列

## Closure、Flange Series


Type: H9914



Type: H9905



型号 (Type)	名称 (Name)	材质 (Material)	外螺纹 (Outer Thread)
H9914	4" 闷盖 (4" Closure)	PVC/PPO	4"-8UN
H9905	6" 法兰闷盖 (6" FLG Closure)	PVC/PPO	



型号(Type)	名称 (Name)	螺纹 A (Thread A)	螺纹 B (Thread B)	材质 (Material)
H9910	6" 法兰座	3"BSPP/3"NPT	DN80	PVC
H9911	6" 法兰座	3"BSPP/3"NPT	4" UN	PVC/PPO
H9912	6" 法兰座	3"BSPP/3"NPT	3"BSPP/3"NPT	PVC/PPO

# 盐 阀 系 列

## Brine Valve Series

Type: H9906



454 盐阀 Brine valve- 36"(1000mm) and 54" (1380mm)

Type: H9907



434 盐阀 Brine valve

Type: H9908



1700 盐阀 Brine valve

Type: H9909



1600 盐阀 Brine valve

Type: H9909-1



1600 逆止阀  
Air check valve

Type: H9909-2



1600 浮杯 Float cup

Type: H9909-3



1600 注水保护  
Water injection protector

Type: H2204



Accessory of Fleck valve  
富来阀配件 1

Type: H2205



Accessory of Fleck valve  
富来阀配件 2









Type: H2206



Accessory of Fleck valve  
富来阀配件 3 (1" Yoke)

# 配件系列

## Accessories

	<p>Type: H255\H268</p> <p>吸盐阀接头 (Reducing Union Connector)</p> <p>H255: Tube O.D 3/8"</p> <p>H268: Tube O.D 1/2"</p>		<p>Type: H9908-1</p> <p>18602 接头(connector)</p> <p>Tube O.D 1/2"</p> <p>Socket 3/4"</p> <p>与 1700 配合使用</p> <p>Used with 1700</p>
	<p>Type: H268-1</p> <p>268 排污接头 (Connector)</p> <p>Thread NPT3/4"</p> <p>Tube O.D3/4"</p>		<p>Type: H2203</p> <p>4 分排污水嘴 (Connector)</p> <p>Thread NPT 3/4"</p> <p>Tube O.D 5/8"</p>
	<p>Type: H2202</p> <p>4 分排污水嘴 (Connector)</p> <p>Thread NPT1/2"</p> <p>Tube O.D 5/8"</p>		<p>Type: H3202</p> <p>1"快速接头(Quick Union Connector)</p> <p>Tube O.D 1"</p>
	<p>Type: H3207</p> <p>263 镜片</p> <p>Lid for 263 Control Valve</p>		<p>Type: H3210-A</p> <p>单芯压盖</p> <p>Single gland for Cartridge</p>
	<p>Type: H3206</p> <p>263 阀盖/700 阀盖</p> <p>Cover for 263 and 700 Control Valve</p>		<p>Type: H3211-A</p> <p>三联压盖</p> <p>Three gland for Cartridges</p>
	<p>Type: H3211-B</p> <p>三联压盖</p> <p>Three gland for Cartridges</p>		<p>Type: H3212</p> <p>五联压盖</p> <p>Five gland for Cartridges</p>